




Full spectrum lighting including UVA radiation. High colour rendering (Ra98), daylight color temperature 6500K. For application where natural light is required, support treatment of Seasonal Affective Disorder (SAD).

## Technical Assets

### Dimensions (mm)



### Photometrics

### General data

Product name	ACTIVA
Technology	Fluorescent
Lamp shape	Tube, double-ended
Cap/Base	G13
Lamp finish	Frosted/Coated
Fixture rating	Open
General application	SPG
ETIM Class	EC000108

### Optical data

Ambient temperature for maximum luminous flux (°C)	25
Correlated colour temperature (k)	6500
Light colour	Activa
CRI (Ra)	98

### Electrical data

Power consumption (W)	18
Wattage (W)	18.00
Supply current (A)	0.370
Primary Supply/Product voltage - min (V)	50.0
Primary Supply/Product voltage - max (V)	64.0
Control gear required	Yes
Dimmable	Yes
Drive current (mA)	370
Nominal Frequency (Hz)	50Hz

### Lifetime data

Average life (Nominal) (h)	14000
Average life (Rated) (h)	14000

## Physical data

Nominal Product Length (mm)	600.0
Nominal Product Diameter (mm)	26
Max. Length base to base (mm) - A	589.8
Length base to pin Min-Max (mm) - B	594.5-596.9
Max. Lamp Length (mm) - C/L	604.0
Max. Lamp Diameter (mm) - D	28.0
Weight (kg)	0.082

## Packaging

Product EAN number	5410288022338
Packaging single length / height (cm)	67.1
Packaging single width (cm)	2.7
Packaging single depth (cm)	2.7
DUN14 (inner)	15410288022335
Units per outer package	10
Packaging outer length / height (cm)	70.1
Packaging outer width (cm)	6.5
Packaging outer depth (cm)	14.7

## Safety data

Lamp mercury content (mg)	2.80
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of life	Applicable
Special purpose lamp	Yes
Suitable for household illumination	No