

# TOLEDO LYNX D 1000LM G24D 830 SL

Item No: 0031853


**SYLVANIA**



LED replacement for compact fluorescent Lynx-D lamps  
30,000 hours average rated life (L70 F50)  
3 years warranty  
Quick, simple and safe replacement without rewiring  
Direct retrofit – easiest way to upgrade existing luminaires to LED technology  
Suitable for magnetic ballast/CCG and direct mains 220-240V AC operation  
Low energy consumption and no flickering  
Compact and durable construction  
Minimum and maximum operating temperature: -20°C to 45°C  
Ideal for commercial and residential applications including offices, hotels, restaurants, warehouses, supermarkets, corridors, in addition to living rooms, kitchens and garages  
Warning: ToLEDo Lynx D lamps are not suitable for operation with electronic ballast/ECG operation.

## Technical Assets

### Dimensions (mm)



### Photometrics

# TOLEDO LYNX D 1000LM G24D 830 SL

Item No: 0031853

**SYLVANIA**

## General data

Product name	TOLEDO LYNX D 1000LM G24D 830 SL
Technology	LED
Lamp shape	U shape
Cap/Base	G24d
Lamp finish	Opal
Built in presence detector	NONE
General application	Hospitality, Logistics & Industry, Residential & Consumer
Operating temperature range (°C)	-20°C...+45°C
Virtual assistant compatibility	N/A
ETIM Class	EC001959
E-number FI	4941373
Warranty	3 years

## Optical data

Useful luminous flux ( $\Phi_{use}$ )	1000
Correlated colour temperature (k)	3000
Light colour	Warm White
CRI (Ra)	80
Colour Variation Initial (SDCM)	SDCM6
Beam Angle (°)	280
Photobiological Risk Group	RG0

## Electrical data

Power consumption (W)	10
Wattage (W)	10
Equivalent watt (W)	26
Supply current (A)	0.048
Primary Supply/Product voltage - min (V)	220.0
Primary Supply/Product voltage - max (V)	240.0
Control gear required	No
Control gear type	LED driver constant current
No. Of switching cycles before premature failures	>50000
Dimmable	No
Dimming method	N/A
Inrush Current (A)	6
Inrush Duration ( $\mu$ s)	100
Lamp Energy Label (class)	F
Nominal Frequency (Hz)	50/60Hz

## Lifetime data

Lifespan L70 B50	30000
------------------	-------

## Physical data

Housing colour	White
IP rating	IP20
Nominal Product Length (mm)	164
Nominal Product Width (mm)	34
Nominal Product Height (mm)	34
Weight (kg)	0.07

# TOLEDO LYNX D 1000LM G24D 830 SL

Item No: 0031853



## Packaging

Product EAN number	5410288318530
Packaging single length / height (cm)	4.5
Packaging single width (cm)	3.8
Packaging single depth (cm)	17.5
DUN14 (inner)	15410288318537
Units per outer package	6
Packaging outer length / height (cm)	14.9
Packaging outer width (cm)	8.8
Packaging outer depth (cm)	22.2

## Safety data

Optimal operating condition (°C)	-20-45
Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	Yes
Safety message	Not suitable for household