

REFLED PLATINUM RETRO ES50 360LM 830 36 SL3

Code article 0030141


SYLVANIA



Ultra-efficient LED GU10 range with the same look and size as traditional GU10 lamp. Save up to 95% on energy bills compared to halogen GU10 lamps. Energy Class B and best-in-class lumen efficacy. Sustainable and eco-friendly solution. Recreates backlight effect like halogen dichroic GU10 lamps. Full glass design - means no colours clashing between lamps and fixture. Last three times longer than the standard LED retrofit lamps. Remarkable 50,000 hours average rated life – reducing the hassle of frequent replacements. COOLFIT functionality – ensures overheating and overtemperature protection. Ideal for everyday lighting in homes, hotels, restaurants and more. Non-Dimmable.

Atouts techniques

Dimensions (mm)



Photométrie

REFLED PLATINUM RETRO ES50 360LM 830 36 SL3

Code article 0030141

SYLVANIA

Données générales

Nom du produit	REFLED PLATINUM RETRO ES50 360LM 830 36 SL3
Technologie	LED
Lamp shape	Reflector
Cap/Base	GU10
Lamp finish	None
Built in presence detector	NONE
Fixture rating	Open
General application	Education, Hospitality, Museums & Galleries, Office, Residential & Consumer, Retail
Operating temperature range (°C)	-20°C...+50°C
Virtual assistant compatibility	N/A
ETIM Class	EC001959
Warranty	5 ans

Données optiques

Useful luminous flux (Φuse)	360
Température de couleur (K)	3000
Couleur de lumière	Warm White
IRC (Ra)	80
Colour Variation Initial (SDCM)	SDCM6
Luminous Intensity (cd)	750
Beam Angle (°)	36
Photobiological Risk Group	RG1

Caractéristiques électriques

Power consumption (W)	2
Wattage (W)	2
Equivalent watt (W)	50
Actuel (A)	0.027
Primary Supply/Product voltage - min (V)	220.0
Primary Supply/Product voltage - max (V)	240.0
Control gear required	No
Type d'appareillage	LED driver constant current
No. Of switching cycles before premature failures	>50000
Dimmable	No
Dimming method	N/A
Courant d'appel (A)	13.6
Inrush Duration (µs)	26
Lamp Energy Label (class)	A
Nominal Frequency (Hz)	50/60Hz

Durée de vie

Lifespan L70 B50	50000
------------------	-------

Données physiques

Housing colour	Transparent
IP rating	IP20
Longueur (mm)	54
Nominal Product Diameter (mm)	50
Poids (kg)	0.138

REFLED PLATINUM RETRO ES50 360LM 830 36 SL3

Code article 0030141



Emballage

Product EAN number	5410288301419
Longueur simple de l'emballage (cm)	12.1
Largeur simple de l'emballage (cm)	5.1
Packaging single depth (cm)	8.2
DUN14 (inner)	15410288301416
Units per outer package	60
Packaging outer length / height (cm)	62.2
Packaging outer width (cm)	32.6
Packaging outer depth (cm)	18.3

Sécurité

Condition de fonctionnement optimal (° C)	-20-50
Consignes de nettoyage en cas de bris	Not applicable
Lampe à objectif spécial	No
Utilisation pour applications sèches uniquement	Yes
Ne convient pas à l'éclairage résidentiel	Yes
Safety message	Not Suitable for totally enclosed fixtures