

ToLEDo CANDLE 250LM 827 E14 SL

Code article 0030881

SYLVANIA



Compact and elegant design. Suitable replacement for halogen, incandescent and compact fluorescent lamps. Instant light at the flick of a switch. Uniform light distribution. Good colour rendering (CRI 80). Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas. Lower maintenance costs. 15,000 hours average rated life.

Atouts techniques

Dimensions (mm)



Photométrie

ToLEDo CANDLE 250LM 827 E14 SL

Code article 0030881

SYLVANIA

Données générales

Nom du produit	ToLEDo CANDLE 250LM 827 E14 SL
Technologie	LED
Lamp shape	Candle
Cap/Base	E14
Lamp finish	Opal
Built in presence detector	NONE
Fixture rating	Open
General application	Hospitality, Residential & Consumer
Virtual assistant compatibility	N/A
ETIM Class	EC001959
Numéro virtuel FI	4741288
Warranty	3 ans

Données optiques

Useful luminous flux (Φ_{use})	250
Température de couleur (K)	2700
Couleur de lumière	Homelight
IRC (Ra)	80
Colour Variation Initial (SDCM)	SDCM6
Beam Angle (°)	240
Photobiological Risk Group	RG1

Caractéristiques électriques

Power consumption (W)	2.2
Wattage (W)	2.2
Equivalent watt (W)	25
Actuel (A)	0.025
Primary Supply/Product voltage - min (V)	220.0
Primary Supply/Product voltage - max (V)	240.0
Control gear required	No
Type d'appareillage	LED driver constant current
No. Of switching cycles before premature failures	>50000
Dimmable	No
Dimming method	N/A
Courant d'appel (A)	5.4
Inrush Duration (μ s)	110
Lamp Energy Label (class)	E
Nominal Frequency (Hz)	50/60Hz

Durée de vie

Lifespan L70 B50	15000
------------------	-------

Données physiques

Housing colour	White
IP rating	IP20
Nominal Product Height (mm)	102
Nominal Product Diameter (mm)	35
Poids (kg)	0.016

ToLEDo CANDLE 250LM 827 E14 SL

Code article 0030881

SYLVANIA

Emballage

Product EAN number	5410288308814
Longueur simple de l'emballage (cm)	4.5
Largeur simple de l'emballage (cm)	4.5
Packaging single depth (cm)	11.0
DUN14 (inner)	15410288308811
Units per outer package	6
Packaging outer length / height (cm)	14.3
Packaging outer width (cm)	9.7
Packaging outer depth (cm)	12.2

Sécurité

Consignes de nettoyage en cas de bris	Not applicable
Lampe à objectif spécial	No
Utilisation pour applications sèches uniquement	Yes
Ne convient pas à l'éclairage résidentiel	Yes
Safety message	Not Suitable for totally enclosed fixtures