

RLD RT PAR16 V3 345LM 840 E14 36 SL

Code article 0031841


SYLVANIA



High performance. LED PAR16 lamp with the same look and feel of traditional PAR lamps. Glass construction - means no colours clashing between the lamp and fixture. Reduced visible heatsink from the front. Mercury-free solution. Lower maintenance cost. Lifetime: 15,000 hours. High lumen efficacy. Non-dimmable. 3 year warranty. Suitable for general lighting and accent lighting for hotels, restaurants, bars, lobbies, corridors and halls.

Atouts techniques

Dimensions (mm)



Photométrie

RLD RT PAR16 V3 345LM 840 E14 36 SL

Code article 0031841

SYLVANIA

Données générales

Nom du produit	RLD RT PAR16 V3 345LM 840 E14 36 SL
Technologie	LED
Puissance (nominale) (W)	3.6
Lamp shape	Reflector
Cap/Base	E14
Lamp finish	Clear
Built in presence detector	NONE
Fixture rating	Open
General application	Hospitality, Museums & Galleries, Residential & Consumer, Retail
Operating temperature range (°C)	-20°C...+40°C
Performance ambient temperature Tq (°C)	25
Virtual assistant compatibility	N/A
ETIM Class	EC001959
Numéro virtuel FI	4741299
Warranty	3 ans

Données optiques

Useful luminous flux (Φ_{use})	345
Température de couleur (K)	4000
Couleur de lumière	Cool White
IRC (Ra)	80
Colour Variation Initial (SDCM)	SDCM6
Colour Consistency (SDCM)	6
Luminous Intensity (cd)	700
Beam Angle (°)	36
Photobiological Risk Group	RG1
Maintien du flux à la fin de la durée de vie nominale (lm)	70

Caractéristiques électriques

Power consumption (W)	3.6
Wattage (W)	3.6
Equivalent watt (W)	50
Actuel (A)	0.032
Primary Supply/Product voltage - min (V)	220.0
Primary Supply/Product voltage - max (V)	240.0
Control gear required	No
Type d'appareillage	Not required
No. Of switching cycles before premature failures	>50000
Dimmable	No
Dimming method	N/A
Courant d'appel (A)	5.1
Inrush Duration (μ s)	236
Lamp Energy Label (class)	E
Nominal Frequency (Hz)	50/60Hz
Max. products per 16A C Breaker	183
Max. products per 16A B Breaker	145

Durée de vie

Lifespan L70 B50	15000
Average life (Nominal) (h)	15000
Durée de vie moyenne (nominale) (h)	15000

Données physiques

Housing colour	Silver
IP rating	IP20
Nominal Product Height (mm)	73
Nominal Product Diameter (mm)	50
Poids (kg)	0.05

RLD RT PAR16 V3 345LM 840 E14 36 SL

Code article 0031841

SYLVANIA

Emballage

Product EAN number	5410288318417
Longueur simple de l'emballage (cm)	5.0
Largeur simple de l'emballage (cm)	5.0
Packaging single depth (cm)	8.7
DUN14 (inner)	15410288318414
Units per inner package	6
Packaging inner length / height (cm)	15.9
Packaging inner width (cm)	10.9
Packaging inner depth (cm)	10.0
DUN14 (outer)	25410288318411
Units per outer package	48
Packaging outer length / height (cm)	33.3
Packaging outer width (cm)	23.3
Packaging outer depth (cm)	22.0

Sécurité

Condition de fonctionnement optimal (° C)	-20-40
Consignes de nettoyage en cas de bris	Not applicable
Lampe à objectif spécial	No
Utilisation pour applications sèches uniquement	Yes
Ne convient pas à l'éclairage résidentiel	Yes
Safety message	Not Suitable for totally enclosed fixtures