

# TOLEDO LYNX DE 1000LM G24Q 830 SL

Code article 0031855


**SYLVANIA**



LED replacement for compact fluorescent Lynx-DE lamps  
30,000 hours average rated life (L70 F50)  
3 years warranty  
Quick, simple and safe replacement without rewiring  
Direct retrofit – easiest way to upgrade existing luminaires to LED technology  
Suitable for electronic ballast/ ECG ballast  
Compact and durable construction  
Minimum and maximum operating temperature: -20°C to 45°C  
Low energy consumption and no flickering  
Ideal for commercial and residential applications including offices, hotels, restaurants, warehouses, supermarkets, corridors, in addition to living rooms, kitchens and garages  
Warning: ToLEDo Lynx DE lamps are not suitable for magnetic ballast/CCG and direct mains 220-240V AC operation

## Atouts techniques

### Dimensions (mm)



### Photométrie

# TOLEDO LYNX DE 1000LM G24Q 830 SL

Code article 0031855

**SYLVANIA**

## Données générales

Nom du produit	TOLEDO LYNX DE 1000LM G24Q 830 SL
Technologie	LED
Lamp shape	U shape
Cap/Base	G24q-3
Lamp finish	Opal
Built in presence detector	NONE
General application	Hospitality, Logistics & Industry, Residential & Consumer
Operating temperature range (°C)	-20°C...+45°C
Virtual assistant compatibility	N/A
ETIM Class	EC001959
Numéro virtuel FI	4941375
Warranty	3 ans

## Données optiques

Useful luminous flux ( $\Phi_{use}$ )	1000
Température de couleur (K)	3000
Couleur de lumière	Warm White
IRC (Ra)	80
Colour Variation Initial (SDCM)	SDCM6
Beam Angle (°)	280
Photobiological Risk Group	RG0

## Caractéristiques électriques

Power consumption (W)	10
Wattage (W)	10
Equivalent watt (W)	26
Actuel (A)	0.35
Primary Supply/Product voltage - min (V)	20.0
Primary Supply/Product voltage - max (V)	40.0
Control gear required	Yes
Type d'appareillage	LED driver constant current
No. Of switching cycles before premature failures	>50000
Dimmable	No
Dimming method	N/A
Courant d'appel (A)	10
Inrush Duration ( $\mu$ s)	800
Lamp Energy Label (class)	F
Nominal Frequency (Hz)	50/60Hz

## Durée de vie

Lifespan L70 B50	30000
------------------	-------

## Données physiques

Housing colour	White
IP rating	IP20
Longueur (mm)	170
Largeur (mm)	34
Nominal Product Height (mm)	34
Poids (kg)	0.07

# TOLEDO LYNX DE 1000LM G24Q 830 SL

Code article 0031855

**SYLVANIA**

## Emballage

Product EAN number	5410288318554
Longueur simple de l'emballage (cm)	4.5
Largeur simple de l'emballage (cm)	3.8
Packaging single depth (cm)	17.5
DUN14 (inner)	15410288318551
Units per outer package	6
Packaging outer length / height (cm)	14.9
Packaging outer width (cm)	8.8
Packaging outer depth (cm)	22.2

## Sécurité

Condition de fonctionnement optimal (° C)	-20-45
Consignes de nettoyage en cas de bris	Not applicable
Lampe à objectif spécial	No
Utilisation pour applications sèches uniquement	No
Ne convient pas à l'éclairage résidentiel	Yes
Safety message	Not suitable for household