

SYLBATTEN IP20 L1500 TWIN 4000K

Code article 0045164

SYLVANIA


YourHome™



full range of LED Battens to replace traditional T8 battens (600mm, 1200mm, 1500mm and 1800mm), ease of installation, 4000K, 25000h lifetime


Atouts techniques

Dimensions (mm)



Photométrie

Distance [m]	Cone diameter [m]	Beam angle [°]	Beam diameter [m]	Beam area [m²]	Illuminance [lx]
0.5	2.06	84.1°	4.08	1.27	448
1.0	4.12	84.1°	1.12	0.47	112
1.5	6.18	84.1°	0.49	0.21	49
2.0	8.24	84.1°	0.28	0.12	28
2.5	10.30	84.1°	0.18	0.07	18
3.0	12.36	84.1°	0.12	0.04	12



SYLBATTEN IP20 L1500 TWIN 4000K

Code article 0045164

SYLVANIA

Données générales

Nom du produit	SYLBATTEN IP20 L1500 TWIN 4000K
Technologie	LED
Cap/Base	N/A
Housing	PC Polycarbonate
Built in presence detector	NONE
General application	Residential & Consumer
Performance ambient temperature Tq (°C)	25
Virtual assistant compatibility	N/A
ETIM Class	EC000109
Warranty	2 ans

Données optiques

Fixture luminous flux (lm)	4100
Luminaire efficacy (lm/W)	114
Température de couleur (K)	4000
Couleur de lumière	Neutral White
IRC (Ra)	80
Photobiological Risk Group	RG0

Caractéristiques électriques

Consommation électrique totale (W)	36
Primary Supply/Product voltage - min (V)	220.0
Primary Supply/Product voltage - max (V)	240.0
Electrical protection	Class I
Control gear required	No
Type d'appareillage	LED driver constant current
Dimmable	No
Dimming method	N/A
Drive current (mA)	240
Nominal Frequency (Hz)	50/60Hz
Max. products per 10A C Breaker	27
Max. products per 13A C Breaker	34
Max. products per 16A C Breaker	42
Max. products per 20A C Breaker	54
Max. products per 10A B Breaker	18
Max. products per 13A B Breaker	23
Max. products per 16A B Breaker	28
Max. products per 20A B Breaker	36
Connectable conductor cross section - Max (mm ²)	1.5

Durée de vie

Lifespan L70 B50	25000
------------------	-------

Données physiques

Housing colour	White
IP rating	IP20
IK rating	IK02
Longueur (mm)	1500
Largeur (mm)	82
Nominal Product Height (mm)	48
Poids (kg)	1.23

SYLBATTEN IP20 L1500 TWIN 4000K

Code article 0045164



Emballage

Product EAN number	5410288451640
Longueur simple de l'emballage (cm)	150.0
Largeur simple de l'emballage (cm)	8.22
Packaging single depth (cm)	4.8
DUN14 (inner)	15410288451647
Units per outer package	8
Packaging outer length / height (cm)	152.0
Packaging outer width (cm)	22.5
Packaging outer depth (cm)	19.5

Sécurité

Glow Wire Test (°C)	650
---------------------	-----