


Inset Trend 72 FL IP65 Fire White NO-LMP

Code article 0084107

SYLVANIA


START



Recessed fire rated housing frame to use with RefLED GU10 spotlight lamp Ø50mm - GU10 spotlight not included. Steel body, round bezel ring in white RAL9016 finish, fixed (not adjustable), IP65 (frontal) degree of protection, class II, outer dimensions (including wiring box): Ø85.5*81mm (with connecting box 122mm), cut-out Ø72mm. Fire rated 30, 60, 90 minutes. Suitable for internal environment only.

Atouts techniques

Dimensions (mm)



Photométrie

Inset Trend 72 FL IP65 Fire White NO-LMP

Code article 0084107

SYLVANIA

Données générales

Nom du produit	Inset Trend 72 FL IP65 Fire White NO-LMP
Technologie	Light Source Not Integrated
Cap/Base	GU10
Housing	Steel
Montage	Ceiling recessed mounting
Built in presence detector	NONE
General application	Residential & Consumer, Retail
Operating temperature range (°C)	-10°C...+40°C
Virtual assistant compatibility	N/A
ETIM Class	EC001744
Warranty	5 ans

Données optiques

Fixture luminous flux (lm)	1
Luminaire efficacy (lm/W)	1
Couleur de lumière	N/A
Colour Variation Initial (SDCM)	N/A
Distribution type	None
Photobiological Risk Group	Not applicable

Caractéristiques électriques

Lampe incluse	Fixture without Lightsource
Emergency type	
Consommation électrique totale (W)	7.3
Actuel (A)	0.01
Primary Supply/Product voltage - min (V)	220.0
Primary Supply/Product voltage - max (V)	240.0
THD (at 230 V, 50 Hz, full load, at 100% dimming level) ≤ xx.x %	100
Electrical protection	Class I
Type d'appareillage	Not required
Dimmable	No
Dimming method	N/A
Nominal Frequency (Hz)	N/A
Max. products per 10A C Breaker	50
Max. products per 16A C Breaker	80
Max. products per 16A B Breaker	1
Connectable conductor cross section - Min (mm²)	0.75
Connectable conductor cross section - Max (mm²)	1.5

Données physiques

Housing colour	White
IP rating	IP65/20
IK rating	IK02
Diffuser finish	Transparent
Diffuser material	Glass
Finition réflecteur	Not Applicable
Nominal Product Height (mm)	122
Nominal Product Diameter (mm)	86
Built-in diameter (mm)	86
Poids (kg)	0.21

Inset Trend 72 FL IP65 Fire White NO-LMP

Code article 0084107



Emballage

Product EAN number	5410288841076
Longueur simple de l'emballage (cm)	10.0
Largeur simple de l'emballage (cm)	9.0
Packaging single depth (cm)	10.0
DUN14 (inner)	15410288841073
Units per outer package	40
Packaging outer length / height (cm)	47.0
Packaging outer width (cm)	22.0
Packaging outer depth (cm)	42.0

Sécurité

Glow Wire Test (°C)	650
Condition de fonctionnement optimal (° C)	-10-40