


Myriad IP65 4000K DALI WHITE

Code article 2049541


Concord



MYRIAD IP65 4000K DALI WHITE

Atouts techniques


Dimensions (mm)



Photométrie

Distance [m]	Cone diameter [m]	Beam angle [°]	Illuminance [lx]
0.5	0.36	30°	830
1.0	0.71	30°	157
1.5	1.07	30°	71
2.0	1.42	30°	34
2.5	1.78	30°	18
3.0	2.14	30°	9

Distance [m] Cone diameter [m] Illuminance [lx]
C0 - C180 (Half beam angle: 39.2°)



Myriad IP65 4000K DALI WHITE

Code article 2049541

Concord

Données générales

Nom du produit	Myriad IP65 4000K DALI WHITE
Technologie	LED
Cap/Base	N/A
Montage	Ceiling recessed mounting
Environment	Interior
General application	Hospitality, Office, Retail
ETIM Class	EC001744
Numéro virtuel SE	7462016
E-number Norway	3290238
Warranty	5 ans

Données optiques

Fixture luminous flux (lm)	1050
Luminaire efficacy (lm/W)	105
LOR (%)	100
Température de couleur (K)	4000
Couleur de lumière	Neutral White
IRC (Ra)	90
Colour Variation Initial (SDCM)	SDCM3
Chromaticité réglable	N
Beam Angle (°)	30
Distribution type	Symmetric
Photobiological Risk Group	RG1

Caractéristiques électriques

Consommation électrique totale (W)	10
Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Electrical protection	Class II
Type d'appareillage	Electronic ballast
Montage de l'appareillage	Integral
Dimmable	Yes
Dimming method	DALI-2, Switch-dim (mains-rated)
Drive current (mA)	250
Energy Efficiency Class (A->G) of contained light source	E
Nominal Frequency (Hz)	50/60Hz

Durée de vie

Lifespan L70 B50	100000
Lifespan L80 B20	100000
Lifespan L90 B10	68500

Données physiques

IP rating	IP65/20
IK rating	IK02
Diffuser material	Glass
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	76
Poids (kg)	0.362
Recessed Depth (mm)	72

Myriad IP65 4000K DALI WHITE

Code article 2049541

Concord

Emballage

Product EAN number	5025768495412
Longueur simple de l'emballage (cm)	17.5
Largeur simple de l'emballage (cm)	17.5
Packaging single depth (cm)	15.0
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	17.5
Packaging outer depth (cm)	15.0