


Beacon PRJ Framing O/B Dim L3 4000K Black

Code article 2055959


Concord




Beacon Projector offers precision light exactly where it is needed. The Framing Projector has four adjustable arms allowing the beam to be framed to the desired size shape (square/rectangle or irregular 4 sided shapes). High colour rendering CRI 97 typical. IR/UV free light source without heat radiation. LED technology provides an energy efficient solution with reduced maintenance costs.

Atouts techniques

Dimensions (mm)



Photométrie



Beacon PRJ Framing O/B Dim L3 4000K Black

Code article 2055959

Concord

Données générales

Nom du produit	Beacon PRJ Framing O/B Dim L3 4000K Black
Technologie	LED
Cap/Base	N/A
Housing	Aluminium
Montage	Track mounting
Fixture rating	Enclosed
General application	Hospitality, Museums & Galleries
Performance ambient temperature Tq (°C)	25
ETIM Class	EC001744
Warranty	5 ans

Données optiques

Fixture luminous flux (lm)	474
Luminaire efficacy (lm/W)	14
LOR (%)	100
Température de couleur (K)	4000
Couleur de lumière	Neutral White
IRC (Ra)	97
Colour Variation Initial (SDCM)	SDCM3
Distribution type	Adjustable
Photobiological Risk Group	RG1

Caractéristiques électriques

Consommation électrique totale (W)	35
Primary Supply/Product voltage - min (V)	220.0
Primary Supply/Product voltage - max (V)	240.0
Lamp power factor	0.95
Electrical protection	Class II
Control gear required	Yes
Type d'appareillage	Electronic ballast
Montage de l'appareillage	Integral
Dimmable	Yes
Dimming method	1-10V (Analogue)
Drive current (mA)	900
Courant d'appel (A)	5
Inrush Duration (µs)	50
Energy Efficiency Class (A->G) of contained light source	F
Nominal Frequency (Hz)	50/60Hz
Max. products per 10A C Breaker	52
Max. products per 16A C Breaker	85

Durée de vie

Lifespan L70 B50	100000
Lifespan L80 B20	89000
Lifespan L90 B10	33000

Données physiques

Housing colour	Black
IP rating	IP20
IK rating	IK02
Longueur (mm)	80
Largeur (mm)	185
Nominal Product Height (mm)	215

Beacon PRJ Framing O/B Dim L3 4000K Black

Code article 2055959

Concord

Emballage

Product EAN number	5025768559596
Longueur simple de l'emballage (cm)	32.0
Largeur simple de l'emballage (cm)	15.5
Packaging single depth (cm)	13.0
DUN14 (inner)	05025768559596
Units per outer package	1
Packaging outer length / height (cm)	32.0
Packaging outer width (cm)	15.5
Packaging outer depth (cm)	13.0