


Myriad Deco IP65 Spot 3000K PHDM WHITE WBEZ

Code article 2058860


Concord



MYRD IP ST 3K PHDM WHT WBEZ

Atouts techniques

Dimensions (mm)




Dimensions (mm)

Photométrie

Distance [m]	Cone diameter [m]	Beam diameter [m]	Beam diameter [m]	Illuminance [lx]
0.5	0.26	Ø171	Ø171	1204
1.0	0.51	Ø342	Ø342	311
1.5	0.77	Ø513	Ø513	136
2.0	1.03	Ø684	Ø684	78
2.5	1.28	Ø855	Ø855	48
3.0	1.54	Ø1026	Ø1026	32

Distance [m] Cone diameter [m] Illuminance [lx]
C0 - C180 (Half beam angle: 28.8°)



Myriad Deco IP65 Spot 3000K PHDM WHITE WBEZ

Code article 2058860

Concord

Données générales

Nom du produit	Myriad Deco IP65 Spot 3000K PHDM WHITE WBEZ
Technologie	LED
Cap/Base	N/A
Housing	Aluminium
Montage	Ceiling recessed mounting
Environment	Interior
General application	Hospitality, Office, Residential & Consumer, Retail
Performance ambient temperature Tq (°C)	25
ETIM Class	EC001744
Warranty	5 ans

Données optiques

Fixture luminous flux (lm)	1106
Luminaire efficacy (lm/W)	111
LOR (%)	100
Température de couleur (K)	3000
Couleur de lumière	Warm White
IRC (Ra)	90
Colour Variation Initial (SDCM)	SDCM3
Chromaticité réglable	N
Beam Angle (°)	28
Photobiological Risk Group	RG1

Caractéristiques électriques

Consommation électrique totale (W)	10
Primary Supply/Product voltage - min (V)	230
Primary Supply/Product voltage - max (V)	240
Electrical protection	Class II
Type d'appareillage	Electronic ballast
Dimming method	Mains: leading / trailing edge
Minimum dimming level (%)	10
Drive current (mA)	250
Energy Efficiency Class (A->G) of contained light source	E
Nominal Frequency (Hz)	50/60Hz

Durée de vie

Lifespan L70 B50	100000
Lifespan L80 B20	100000
Lifespan L90 B10	68500

Données physiques

Housing colour	White
IP rating	IP65/20
IK rating	IK02
Diffuser finish	Bezel (or Ring)
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Recessed Depth (mm)	72

Myriad Deco IP65 Spot 3000K PHDM WHITE WBEZ

Code article 2058860

Concord

Emballage

Product EAN number	5025768588602
Longueur simple de l'emballage (cm)	17.5
Largeur simple de l'emballage (cm)	17.5
Packaging single depth (cm)	15.0
DUN14 (inner)	05025768588602
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	17.5
Packaging outer depth (cm)	15.0