


Myriad Deco IP65 Flood 4000K PHDM WHITE WBEZ

Code article 2058876


Concord



MYRD IP FL 4K PHDM WHT WBEZ

Atouts techniques

Dimensions (mm)




Dimensions (mm)

Photométrie

Distance [m]	Cone diameter [m]	Beam diameter [m]	Beam diameter [in]	Illuminance [lx]
0.5	0.32	Ø101	11.8"	836 3621
1.0	0.63	Ø101	11.8"	209 870
1.5	0.96	Ø101	11.8"	92 423
2.0	1.27	Ø101	11.8"	54 221
2.5	1.59	Ø101	11.8"	35 140
3.0	1.90	Ø101	11.8"	23 94

Distance [m] Cone diameter [m] Illuminance [lx]
C0 - C180 (Half beam angle: 35.2°)



Myriad Deco IP65 Flood 4000K PHDM WHITE WBEZ

Code article 2058876

Concord

Données générales

Nom du produit	Myriad Deco IP65 Flood 4000K PHDM WHITE WBEZ
Technologie	LED
Cap/Base	N/A
Housing	Aluminium
Montage	Ceiling recessed mounting
Environment	Interior
General application	Hospitality, Office, Residential & Consumer, Retail
Performance ambient temperature Tq (°C)	25
ETIM Class	EC001744
Warranty	5 ans

Données optiques

Fixture luminous flux (lm)	977
Luminaire efficacy (lm/W)	98
LOR (%)	100
Température de couleur (K)	4000
Couleur de lumière	Neutral White
IRC (Ra)	90
Colour Variation Initial (SDCM)	SDCM3
Chromaticité réglable	N
Beam Angle (°)	46
Photobiological Risk Group	RG1

Caractéristiques électriques

Consommation électrique totale (W)	10
Primary Supply/Product voltage - min (V)	230
Primary Supply/Product voltage - max (V)	240
Electrical protection	Class II
Type d'appareillage	Electronic ballast
Dimming method	Mains: leading / trailing edge
Minimum dimming level (%)	10
Drive current (mA)	250
Energy Efficiency Class (A->G) of contained light source	E
Nominal Frequency (Hz)	50/60Hz

Durée de vie

Lifespan L70 B50	100000
Lifespan L80 B20	100000
Lifespan L90 B10	68500

Données physiques

Housing colour	White
IP rating	IP65/20
IK rating	IK02
Diffuser finish	Bezel (or Ring)
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Recessed Depth (mm)	72

Myriad Deco IP65 Flood 4000K PHDM WHITE WBEZ

Code article 2058876

Concord

Emballage

Product EAN number	5025768588763
Longueur simple de l'emballage (cm)	17.5
Largeur simple de l'emballage (cm)	17.5
Packaging single depth (cm)	15.0
DUN14 (inner)	05025768588763
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	17.5
Packaging outer depth (cm)	15.0