

# ToLEDo GLS V6 806LM 865 E27 SL

Item No: 0026629


**SYLVANIA**



- Compact and elegant design
- Suitable replacement for halogen, incandescent and compact fluorescent GLS lamps
- Instant light at the flick of a switch
- Uniform light distribution
- Good colour rendering (CRI 80)
- Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas
- Lower maintenance costs
- A+ energy rating

## Technical Assets

### Dimensions (mm)



### Photometrics

# ToLEDo GLS V6 806LM 865 E27 SL

Item No: 0026629

**SYLVANIA**

## General data

|   |                                   |
|---|-----------------------------------|
| Nome do produto                         | ToLEDo GLS V6 806LM 865 E27 SL    |
| Tecnologia                              | LED                               |
| Watt (Rated) (W)                        | 8.5                               |
| Casquilho                               | E27                               |
| Luminária                               | Open                              |
| Aplicação geral                         | Hotelaria, Residential & Consumer |
| Performance ambient temperature Tq (°C) | 25                                |
| ETIM                                    | EC001959                          |
| Garantia                                | 3 years                           |

## Optical data

|  |          |
|--|----------|
| Useful luminous flux ( $\Phi_{use}$ )        | 806      |
| Luminous flux (Rated) (lm)                   | 806      |
| Temperatura de cor (K)                       | 6500     |
| Cor da luz                                   | Daylight |
| CRI  | 80       |
| Ângulo do feixe (°)                          | 180      |
| Lumen maintenance at end of nominal life (%) | 70       |

## Electrical data

|   |         |
|---|---------|
| Power consumption (W)                             | 8.5     |
| Potência  | 8.5     |
| Starting time (max) (s)                           | 0.5     |
| Warm-up time to 60% of full light (max) (s)       | 1       |
| Tensão de alimentação do produto – mín. (V)       | 220     |
| Tensão de alimentação do produto – máx. (V)       | 240     |
| Fator de potência                                 | 0.5     |
| No. Of switching cycles before premature failures | >50000  |
| Corrente de arranque (A)                          | 2.4     |
| Frequência nominal (Hz)                           | 50/60Hz |
| Máx. dispositivos por disjuntor C de 10A          | 173     |
| Máx. produtos por disjuntor C de 16A              | 278     |
| Max. products per 20A C Breaker                   | 348     |

## Lifetime data

|                          |       |
|--------------------------|-------|
| Vida média (horas)       | 15000 |
| Average life (Rated) (h) | 15000 |

## Physical data

|                                     |       |
|-------------------------------------|-------|
| Comprimento nominal do produto (mm) | 112   |
| Nominal Product Diameter (mm)       | 60    |
| Peso (kg)                           | 0.053 |

# ToLEDo GLS V6 806LM 865 E27 SL

Item No: 0026629

**SYLVANIA**

## Packaging

|   |                |
|---|----------------|
| Código EAN  | 5410288266299  |
| Comprimento / altura da embalagem individual (cm) | 11.3           |
| Largura da embalagem individual (cm)              | 6.4            |
| Profundidade da embalagem individual (cm)         | 6.4            |
| DUN14 (inner)                                     | 15410288266296 |
| Units per inner package                           | 6              |
| Packaging inner length / height (cm)              | 20.4           |
| Packaging inner width (cm)                        | 13.4           |
| Packaging inner depth (cm)                        | 13.7           |
| DUN14 (outer)                                     | 25410288266293 |
| Unidades por embalagem exterior                   | 60             |
| Comprimento / altura da embalagem exterior (cm)   | 72.4           |
| Largura da embalagem exterior (cm)                | 22.2           |
| Profundidade da embalagem exterior (cm)           | 29.7           |

## Safety data

|                                     |  |
|-------------------------------------|--|
| Breakage cleaning instructions      | Not applicable                             |
| Special purpose lamp                | No   |
| Dry applications use only           | Yes  |
| Suitable for household illumination | Yes  |
| Safety message                      | Not Suitable for totally enclosed fixtures |