


ToLEDo RT GLS V5 ST DIM 1055LM 840 E27 SL3

Item No: 0030990


SYLVANIA



Perfect for decorative and general lighting applications and creates a warm ambiance similar to traditional lamps
Same look, size and functionality as incandescent lamps
Omni-directional light distribution
Suitable replacement for incandescent and halogen lamps
Gives same sparkling light effect as incandescent lamp
Dimensionally identical to incandescent lamps - fits all fixtures
Environment friendly - no mercury and lower CO2 emissions
Dimmable with approved dimmers

Technical Assets

Dimensions (mm)



Photometrics

ToLEDo RT GLS V5 ST DIM 1055LM 840 E27 SL3

Item No: 0030990

SYLVANIA

General data

Product name	ToLEDo RT GLS V5 ST DIM 1055LM 840 E27 SL3
Technology	LED
Watt (Rated) (W)	9
Lamp shape	Pear-shape
Cap/Base	E27
Lamp finish	Opal
Built in presence detector	NONE
Fixture rating	Open
General application	Hospitality, Residential & Consumer
Operating temperature range (°C)	-10°C...+45°C
Performance ambient temperature Tq (°C)	25
Virtual assistant compatibility	N/A
ETIM Class	EC001959
Warranty	3 years

Optical data

Useful luminous flux (Φ_{use})	1055
Luminous flux (Rated) (lm)	1055
Correlated colour temperature (k)	4000
Light colour	Cool White
CRI (Ra)	80
Colour Variation Initial (SDCM)	SDCM6
Photobiological Risk Group	RG1
Lumen maintenance at end of nominal life (%)	70

Electrical data

Power consumption (W)	9
Wattage (W)	9
Equivalent watt (W)	75
Supply current (A)	0.057
Primary Supply/Product voltage - min (V)	220.0
Primary Supply/Product voltage - max (V)	240.0
Control gear required	No
Control gear type	LED driver constant current
No. Of switching cycles before premature failures	>50000
Dimmable	Yes
Dimming method	Mains: leading / trailing edge
Inrush Current (A)	1.5
Inrush Duration (μ s)	520
Lamp Energy Label (class)	E
Nominal Frequency (Hz)	50Hz
Max. products per 16A C Breaker	106
Max. products per 16A B Breaker	54

Lifetime data

Lifespan L70 B50	15000
Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

Physical data

Housing colour	White
IP rating	IP20
Nominal Product Length (mm)	108
Nominal Product Diameter (mm)	60
Weight (kg)	0.108

ToLEDo RT GLS V5 ST DIM 1055LM 840 E27 SL3

Item No: 0030990



Packaging

Product EAN number	5410288309903
Packaging single length / height (cm)	19.2
Packaging single width (cm)	12.0
Packaging single depth (cm)	6.6
DUN14 (inner)	15410288309900
Units per outer package	6
Packaging outer length / height (cm)	40.7
Packaging outer width (cm)	19.7
Packaging outer depth (cm)	13.0

Safety data

Optimal operating condition (°C)	-10-45
Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	Yes
Suitable for household illumination	Yes
Safety message	Not Suitable for totally enclosed fixtures