

# Myriad IP65 3000K PHASE DIM WHITE

Item No: 2049525


# Concord



MYRIAD IP65 3000K PHASE DIM WHITE


## Technical Assets

### Dimensions (mm)



### Photometrics

Distance [m]	Cone diameter [m]	Beam angle [°]	Beam angle [°]	Beam angle [°]	Illuminance [lx]
0.5	0.33	37.0°	18.5°	18.5°	846 293
1.0	0.67	37.0°	18.5°	18.5°	173 73
1.5	1.00	37.0°	18.5°	18.5°	77 33
2.0	1.34	37.0°	18.5°	18.5°	43 18
2.5	1.67	37.0°	18.5°	18.5°	27 11
3.0	2.01	37.0°	18.5°	18.5°	18 8



# Myriad IP65 3000K PHASE DIM WHITE

Item No: 2049525

Concord

## General data

Product name	Myriad IP65 3000K PHASE DIM WHITE
Technology	LED
Cap/Base	N/A
Mount	Ceiling recessed mounting
Environment	Interior
General application	Hospitality, Office, Retail
ETIM Class	EC001744
E-number SE	7462013
E-number Norway	3290231
Warranty	5 years

## Optical data

Fixture luminous flux (lm)	1069
Luminaire efficacy (lm/W)	107
LOR (%)	100
Correlated colour temperature (k)	3000
Light colour	Warm White
CRI (Ra)	90
Colour Variation Initial (SDCM)	SDCM3
Adjustable chromaticity	N
Beam Angle (°)	30
Distribution type	Symmetric
Photobiological Risk Group	RG1

## Electrical data

Total power consumption (W)	10
Primary Supply/Product voltage - min (V)	220.0
Primary Supply/Product voltage - max (V)	240.0
Electrical protection	Class II
Control gear type	LED driver constant current
Control gear mounting	Integral
Dimmable	Yes
Dimming method	Mains: leading / trailing edge
Drive current (mA)	250
Energy Efficiency Class (A->G) of contained light source	E
Nominal Frequency (Hz)	50/60Hz

## Lifetime data

Lifespan L70 B50	100000
Lifespan L80 B20	100000
Lifespan L90 B10	68500

## Physical data

IP rating	IP65/20
IK rating	IK02
Diffuser material	Glass
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	76
Weight (kg)	0.321
Recessed Depth (mm)	72

# Myriad IP65 3000K PHASE DIM WHITE

Item No: 2049525

**Concord**

## Packaging

Product EAN number	5025768495252
Packaging single length / height (cm)	17.5
Packaging single width (cm)	18.0
Packaging single depth (cm)	15.6
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	18.0
Packaging outer depth (cm)	15.6